Public Transportation Office

Airport Inspection Record 9/13/2024 **Bob White Field Inspection Date:** 9/10/2024 **Facility Name:** Inspector: **David Smith** Facility Type: Airport Status: Active Location ID: X61 FAA Site No.: 03575.5*A FDOT District: 5 1.00 Miles W of Zellwood County: Orange 28° 44' 6.980 ARP Latitude: **Estimated** Ownership **Private** Source: ARP Longitude: 81° 37' 44.820 Use: **Public** Elevation: 78 Source: **Estimated** Sectional Chart: **JACKSONVILLE** Note: Primary contact shows below with a background. **Facility Physical Address** Facility Owner: Tailwheel Holding Company Address: PO Box 494 7011 W Jones Av Address: Zellwood State: FL ZIP: 32798-0494 City: City: **Mount Dora** State: FL ZIP: 32757 Phone: (407) 884-4809 Fax: (407) 884-4809 Phone: Email: pkcnsell@aol.com Owner Representative: **Peter Counsell** Facility Manager: Peter Counsell 7011 W Jones Av, Box 494 7011 W Jones Av, Box 494 Address: Address: State: FL ZIP: 32798-0494 City: Zellwood City: Zellwood State: FL ZIP: 32798-0494 Phone: (407) 884-4809 Phone: (407) 884-4809 Email: pkcnsell@aol.com Email: pkcnsell@aol.com Residential Airpark: Beacon: Acreage: 60 No 20 **20S** Wind Indicator: Section: Township: Range: 27E Yes Lighted: No Lighting Schedule: Notes: Attendance Schedule: Month/Day/Hour Segmented Circle: No Lighted: ALL / ALL / 0700-DUSK Facility Website: https://www.facebook.com/Bobwhitefieldairport/ Ask in any new facility aerials/photos are available **Based Aircraft** Single Engine: 74 Year. 2011 Jet Engine: Glider: Ultralight: 2 Source: Inspector Multi Engine: Helicopter: Military: Seaplane: Total Based Aircraft: **Annual Operations** Year: Air Carrier: Air Taxi: GA Local: End Date: Commuter: GA Itinerant: Military: Total Annual Operations: FAR 139 Certificated FAA NavCom X PIE FSS ID: Clearance Delivery: FSS on Airport: No Х Ground Control: (800) WX-BRIEF Control Tower: Toll Free: VorTac: Approach Control: AWOS/ASOS: Unicom: X 122.800 ATIS: Instrument Approach: CTAF: 122.800

State of Florida Department of Transportation

Public Transportation Office

Page 2 of 4 9/13/2024 http://www.florida-aviation-database.com Airport Inspection Record

Facility Name: **Bob White Field Inspection Date:** 9/10/2024 Facility Type: Status: Active Inspector: **David Smith** Airport Services Fuel: Other Services: AAerial Surveying A1Air Ambulance A1+Air Freight В Aircraft Rental B+Aircraft Sales Avionics Mogas 80 Beaching Gear 100 Car Rental 100LL Cargo 115 Courtesy Car Airframe: CharterMajor Crop Dusting Minor GliderPower Plant: Glider Towing Instruction Major Minor Internet Bottle Oxygen: Lodging High Parachute Jumping Area LowRestaurant Bulk Oxygen: Restrooms High TaxiLow Telephone Transient Storage: Buoy

Hangar Tie Downs http://www.florida-aviation-database.com

Public Transportation Office **Airport** Inspection Record

Bob White Field Inspection Date: 9/10/2024 **Facility Name:** Facility Type: Airport Status: Active Inspector: **David Smith** Condition Runway ID Status **Dimension Surface** Lights 09/27 **Existing** 3,300 x 150 Turf Good None Comments:

RWY 09

FAR 77 Category A(V).

RWY 27

FAR 77 Category A(V).

Approach ratio required is RWY 09 20:1 and RWY 27 20:1.

Primary surface required is 250 feet wide.

tatitude 18° 44' 06.2 urface	Longitude 81° 38' 03.6 Close-in			ope 3:1	Marking Pails-G	VGS N	SI	<i>REIL</i> No		Approach NONE
	Close-in	Ot			Pails-G	N		No	No	NONE
urface			structio	n Data				110	1 10	TONE
urface				п раца						
ırface		Displacement		Controlling	Marked/	Height Above	Distance From		Direction From	Control
ırface	Obstruction	•	Slope	Obstruction 0		Runway	rrom Runway		Runway End	g Offset
	No		3:1	TREES		37 ft	140 ft	Bef	ore Runway Ei	nd 125 ft
ıd										
splaced Threshol	d No	600 ft	20:1	TREES		46 ft	305 ft	Bef	ore Runway Ei	nd 75 ft
Displaced Thresho	old									
			Rur	iway 27						
Latitude	Longitude	Source	Sl	ope	Marking	VGS	SI	REIL	Rt Traffic	Approach
28° 44' 06.7	81° 37' 26.8	Estimated	2	20:1	Pails-G	N		No	No	NONE
		Ob	structio	n Data						
	Close-in Obstruction	Displacement Distance	Slope	_		Height Above Runway	Distance From Runway		Direction From Runway End	Controli g Offset
ırface	No		20:1	TREES		49 ft	965 ft	Bef	ore Runway Ei	nd 125 ft
			1							
•										
Displaced Thresh	old	P	rimary S	Surface and S	Safety Are	9				
		L	Distance	Direction					Aeronatica	l
Latitutud	e Longitude	•	J	9			Frangible	Marke		Determinat
	splaced Threshol hisplaced Thresho atitude 8° 44' 06.7 rface d splaced Threshol hisplaced Threshol	splaced Threshold atitude Longitude 8° 44' 06.7 81° 37' 26.8 Close-in Obstruction rface No d splaced Threshold hisplaced Threshold	splaced Threshold Atitude Longitude Source 8° 44' 06.7 81° 37' 26.8 Estimated Close-in Obstruction Displacement Obstruction The property of the property o	splaced Threshold Source Run attitude Longitude Source Stimated Close-in Obstruction Close-in Obstruction Displacement Obstruction Displacement Obstruction Threshold Displaced Threshold	splaced Threshold No 600 ft 20:1 TREES isplaced Threshold Runway 27 attitude Longitude Source Slope 8° 44' 06.7 81° 37' 26.8 Estimated 20:1 Obstruction Data Close-in Obstruction Displacement Slope Obstruction rface No Displaced Threshold isplaced Threshold	splaced Threshold No 600 ft 20:1 TREES sisplaced Threshold Runway 27 attitude Longitude Source Slope Marking 8° 44' 06.7 81° 37' 26.8 Estimated 20:1 Pails-G Obstruction Data Close-in Obstruction Displacement Obstruction Distance Slope Obstruction Lighted rface No 20:1 TREES d splaced Threshold hisplaced Threshold Slope Obstruction Distance Direction Survey/ from from	Replaced Threshold No 600 ft 20:1 TREES Runway 27 Actitude Longitude Source Slope Marking VGS 8° 44' 06.7 81° 37' 26.8 Estimated 20:1 Pails-G N Obstruction Data Close-in Obstruction Displacement Obstruction Distance Slope Obstruction Lighted Runway rface No 20:1 TREES 49 ft Above Runway Primary Surface and Safety Area Distance Direction Fixed by	Replaced Threshold No 600 ft 20:1 TREES 46 ft 305 ft insplaced Threshold splaced Threshold **TREES*** **Runway 27*** **Additional Longitude Source Slope Marking VGSI*** **Runway 27*** **Additional Longitude Source Slope Marking VGSI*** **Runway 10:1 Pails-G N*** **Controlling Marked/ Above From Construction Distance Slope Obstruction Lighted Runway Runway Runway Prface No Slope Obstruction Distance Slope Obstruction Distance Slope Obstruction Distance Controlling Marked/ Runway Runway Runway Runway Runway Runway Runway Runway Runway Surface Above Distance Distance Distance Distance Distance Direction Fixed by	Splaced Threshold No 600 ft 20:1 TREES Runway 27 Source Slope Marking VGSI REIL 8° 44' 06.7 81° 37' 26.8 Estimated 20:1 Pails-G N No Obstruction Data Close-in Obstruction Displacement Obstruction Distance No 20:1 TREES 46 ft 305 ft Bef No No Primary Surface and Safety Area Distance Direction Fixed by	Splaced Threshold No 600 ft 20:1 TREES 46 ft 305 ft Before Runway Entisplaced Threshold Source Slope Marking VGSI REIL Rt Traffic 8° 44' 06.7 81° 37' 26.8 Estimated 20:1 Pails-G N No No No Obstruction Data Close-in Obstruction Displacement Obstruction Distance Slope Obstruction Lighted Runway Runway Runway End rface No Distance Survey/ from from Fixed by Aeronatica

Inspection Date 9/10/24 Next Inspection 9/30/25

Mitigated Deficiencies

Rwy End: 09

In accordance with Chapter 14-60.007(2)(c)1.a., FAC. – For a runway that is not paved, that is to be used by an aircraft of any weight, and that has a visual landing approach: the approach surface ratio is 20:1.

Runway 09 approach surface ratio is 3:1 due to trees 37 feet tall, 140 feet before the approach end of the runway,

125 feet right of centerline.

Runway 09 threshold is displaced 600 feet.

State of Florida Department of Transportation

Page 4 of 4

Public Transportation Office

http://www.florida-aviation-database.com Airport Inspection Record 9/13/2024

	ne: Bob White Field e: Airport		Inspection Date: Inspector: David S	9/10/2024 mith
License				
00	01/01/2025 12/31/2025	Category: Public	Limitations:	Day Use Only VFR Use Only

Conditions:

The department may revoke, refuse to allow or issue, any license or license renewal, if it determines that the airport does not comply with the conditions of the license, license renewal, or site approval or that the airport has become unsafe or unusable for flight operation due to physical or legal changes that were the subject of approval pursuant to Section 330.30(2)(e), F.S.

- A. This Airport has the following landing areas and approach limitations.
- 1. Runway 09/27 is available for visual approaches only.
- a. Runway 09 is FAR 77 category A(V).
- b. Runway 27 is FAR 77 category A(V).
- 2. Runway 09 threshold is displaced 600 feet.

Additional Licensing Remarks: