Public Transportation Office

http://www.florida-aviatio	n-database.com	All	rport Inspe	tion Record			5/12/2025
Facility Name: F	lying Ten Airport				Inspection Date:	4/22/2025	
Facility Type: A	irport		Status: A	ctive	Inspector: David	Smith	
Location ID:)J8	FAA Site No	o.: 0303	3.2*A	FDOT District:	2	
5.00 Miles N of Arc	cher				County:	Alachua	
ARP Latitude:	29° 37' 8.100 Source:	Estimated			Ownership	Private	
ARP Longitude:	32° 30' 31.600				Use:	Public	
	Source:	Estimated			Sectional Chart:	JACKSONVILLE	
		Note: Primary c	ontact shows	below with a bac	ckground.		
Facility Owner: F	lying Ten, Inc	, , , , , , , , , , , , , , , , , , ,	1_	acility Physica	5		
Address: 3808 SW	•						
			A	ddress: 3808 S	SW 154th St		
City: Archer	State: FL	ZIP: 32618		ity: Archer	Ste	ate: FL ZIP: 32618	
Phone: (352) 682	-0151 Fax:			hone: (352) 68		211 . 32 010	
Email:			'	none. (332) 00	02-0131		
Owner Representativ	ve: Sam Frasier		I	acility Manager:	TIEvasian		
•	V 154th St						
Address: 3000 SV	154111 51		A	uaress: 3000 S	SW 154th St		
G:	C EX	71D 22(10			G.	FI 710 22(10	
City: Archer	State: FL	ZIP: 32618		ity: Arche		ate: FL ZIP: 32618	
Phone: (352) 22					682-0151		
Email: sfrasier(@moses-eng.com		E	mail: flying	tenmanager@gmail.co	m	
Acreage: 55	Residential Airp		E	eacon:			
Section: 16	Township: 10S	Range: 18E	V	Vind Indicator:	Yes	Lighted: Yes	
Lighting Schedule:			Ν	otes:			
Attendance Schedule	: Month/Day/Hour		S	egmented Circle:	No	Lighted: No	
			I	acility Website:			
					any new facility aerial	ls/photos are available	
Based Aircraft							
Year: 2011	Single Engine:	10	Jet Engine:		Glider:	Ultralight:	1
Source: Inspector			Helicopter:		Military:	Seaplane:	
Total Based Aircraft	_						
Annual Operation							
-				4 · T ·	CAL	1	
Year:	Air Carr			Air Taxi:	GA Loc		
End Date:	Commut	er:		Military:	GA Itin	erant:	
Total Annual Operat	tions:						
FAR 139 Certificated							
FAA NavCom							
	- Contraction			CI D.I	. 🖂		
FSS ID:	X GNV			Clearance Deli	· =		
FSS on Airport:	X No			Ground Contro			
Toll Free:	X (800) WX-BRIEF			Control Tower:	=		
VorTac:				Approach Cont	trol:		
AWOS/ASOS:				Unicom:			
Instrument Approach	h:			ATIS:			
				CTAF:	X 122.900		

State of Florida Department of Transportation

Public Transportation Office

Page 2 of 7 5/12/2025

http://www.florida-aviation-database.com Airport Inspection Record Flying Ten Airport **Inspection Date:** 4/22/2025 **Facility Name:** Facility Type: Status: Active Inspector: **David Smith** Airport Services Fuel: Other Services: Aircraft Charging Stations: AAerial Surveying Electric Charging Stations A1Air Ambulance Hydrogen Charging Stations A1+Air Freight **Battery Charging Stations** В Aircraft Rental Solar Charging Stations B+Aircraft Sales Auto Charging Stations Diesel Avionics Aircraft Electric Charging Power E85 Beaching Gear Rating: G100ULCar Rental Alternating Current Mogas Cargo Direct Current SAFCourtesy Car Aircraft Electrict Charging UL102 Charter Station Plug Type 80 Crop Dusting AC - J1772 85UL Glider AC - Mennekes 87 Glider Towing DC - GB/T 91/96 Instruction DC - CCS Type1 91/96UL Internet DC - CCS Type2 X 8 miles 100 Lodging DC - MCS 100LL Parachute Jumping Area DC - CHAdeMO 100VLL Restaurant 6 miles Other 115 Restrooms Support Infrastructure: Taxi Bottle Oxygen: Telephone Passenger Waiting Facility High Aircraft Tug Station LowDeicing Equipment Bulk Oxygen: Battery Thermal High Conditioning System LowMaintenance Platforms, Transient Storage: Ladders, Inspection Buoy Provider of Services Hangar Fire Suppression/ Tie Downs Extinguishing System Airframe: Aircraft Cabin Thermal Major Conditioning Equipment Minor Passenger/Cargo Loading Equipment Power Plant: Major Aircraft Electric Charger Power Minor Output:

Number of Aircraft Electric Charging

Stations:

Public Transportation Office Page 3 of 7

Airport Inspection Record 5/12/2025

http://www.florida-aviation-database.com Airport Inspection Record Facility Name: Flying Ten Airport Inspection Date: 4/22/2025 Status: Active Facility Type: Airport Inspector: **David Smith** Condition Lights Runway ID Status **Dimension** Surface **NSTD** 18/36 **Existing** 3,200 x 175 Turf Fair Comments:

RWY 18

FAR 77 Category A(V).

RWY 36

FAR 77 Category A(V).

Approach ratio required is RWY 18 20:1 and RWY 36 20:1.

Primary surface required is 250 feet wide.

Transitional surface required is 0:1.

Required Displaced Threshold

				Run	way 18							
	Latitude	Longitude	Source	Si	'ope	Marking	VGS	SI	REIL	Rt Traffic	Approach	
18	29° 37' 21.7	82° 30' 31.3	Estimated	2	26:1	NSD-F	N		No	No	NONE	
			Ob	structio	on Data							
		Close-in Obstruction	Displacement Distance	Slope	Controlling Obstruction		Height Above Runway	Distance From Runway		Direction From Runway End	Controlli. g Offset	n
Primar Runwa	y Surface v End	Yes		26:1	TREES		85 ft	2,190 ft	Be	fore Runway En	ad 80 ft	R
-	l Displaced Threshol	d										

				Rur	ıway 36						
	Latitude	Longitude	Source	Sl	ope	Marking	VGS	SI	REIL	Rt Traffic	Approach
36	29° 36' 50.56	82° 30' 31.09	Estimated		0:1	NSD-F	N		No	No	NONE
			Ob	structio	n Data						
		Close-in Obstruction	Displacement Distance	Slope	Controlling Obstruction		Height Above Runway	Distance From Runway		Direction From Runway End	Controllin g Offset
Prima Runwa	ry Surface ay End	Yes		0:1	FENCE	M	4 ft	4 ft	Be	fore Runway E	nd 0 ft Botl
	ed Displaced Threshold red Displaced Thresho		360 ft	20:1	TREES		55 ft	725 ft	Be	fore Runway E	nd 55 ft R

Marked Displo	aced Threshold	Yes	360 ft	20:1	TREES		55 ft	725 ft	Before	Runway End	55 ft R
Required Disp	laced Threshold										
				Primary S	Surface and S	Safety Ar	ea				
Object	Latitutude	Longitude	Survey/ Estimate	Distance from Centerline	Direction from Centerline	Height	Fixed by Function	Frangible	Marked	Aeronatical Study	Determination
TREES	29° 36' 55.48	82° 30' 29.79	Estimated	103 ft	E	41 ft	No	No	No		
TREES	29° 36' 56.14	82° 30' 29.77	Estimated	105 ft	E	31 ft	No	No	No		
TREES	29° 36' 57.53	82° 30' 29.72	Estimated	110 ft	E	35 ft	No	No	No		
ACFT	29° 37' 00.01	82° 30' 29.92	Estimated	105 ft	E		No	No	No		
TREES	29° 37' 16.48	82° 30' 32.61	Estimated	105 ft	W	25 ft	No	No	No		
TREE	29° 37' 8.85	82° 30' 32.47	Estimated	115 ft	W	30 ft	No	No	No		
TREE	29° 37' 6.74	82° 30' 32.62	Estimated	125 ft	\mathbf{W}	20 ft	No	No	No		
FENCE	29° 37' 06.53	82° 30' 32.50	Estimated	105 ft	\mathbf{W}	5 ft	No	No	No		
TREES	29° 36' 59.24	82° 30' 32.41	Estimated	105 ft	W	30 ft	No	No	No		

Facility Nam	e: Flying Ten	Airport	i i				Inspection Date: 4/22/2025			
Facility Type	: Airport			S	Status: A	ctive	Insp	ector:	David Smith	
TREE	29° 38' 00.87	82° 30' 32.47	Estimated	110 ft	W	30 ft	No	No	No	
TREE	29° 37' 05.93	82° 30' 32.46	Estimated	115 ft	\mathbf{W}	25 ft	No	No	No	
TREE	29° 37' 11.85	82° 30' 32.65	Estimated	105 ft	\mathbf{W}	30 ft	No	No	No	
FENCE	29° 37' 23.88	82° 30' 32.38	Estimated	105 ft	\mathbf{W}	5 ft	No	No	No	
TREES	29° 37' 23.35	82° 30' 29.88	Estimated	95 ft	E	40 ft	No	No	No	
TREES	29° 37' 21.81	82° 30' 29.89	Estimated	110 ft	\mathbf{E}	25 ft	No	No	No	
TREES	29° 37' 21.13	82° 30' 29.87	Estimated	95 ft	\mathbf{E}		No	No	No	
ACFT	29° 37' 17.53	82° 30' 29.87	Estimated	125 ft	\mathbf{E}		No	No	No	
TREES	29° 37' 16.52	82° 30' 29.84	Estimated	105 ft	E	20 ft	No	No	No	
TREE	29° 37' 15.65	82° 30' 30.15	Estimated	100 ft	E	15 ft	No	No	No	
TREES	29° 37' 15.42	82° 30' 29.84	Estimated	120 ft	E	25 ft	No	No	No	
TREE	29° 37' 14.33	82° 30' 30.08	Estimated	105 ft	E	15 ft	No	No	No	
SIGN	29° 37' 18.10	82° 30' 32.57	Estimated	100 ft	\mathbf{W}	4 ft	No	No	No	
SIGN	29° 37' 11.91	82° 30' 32.67	Estimated	100 ft	W	4 ft	No	No	No	
FENCE	29° 37' 11.90	82° 30' 32.74	Estimated	100 ft	E	4 ft	No	No	No	

Public Transportation Office Page 5 of 7

http://www.florida-aviation-database.com Airport Inspection Record 5/12/2025

Facility Name: Flying Ten Airport Inspection Date: 4/22/2025
Facility Type: Airport Status: Active Inspector: David Smith

Deficiencies

Inspection Date 4/22/25 Next Inspection 4/30/26

Deficiencies

Rwy End: 18

In accordance with Chapter 14-60.007(2)(b)1.a., FAC. – For a runway that is not paved, that is to be used by an aircraft of any weight, and that has a visual landing approach: the width of the primary surface is 250 feet.

Fence 5 feet tall, 0 feet before to 390 feet after the approach end of the runway, 105 feet west of centerline penetrates the primary surface of Runway 18/36.

Trees 0 feet before to 560 feet after the approach end of the runway, 105 feet to 125 feet west of centerline penetrates the primary surface of Runway 18/36.

Fence 4 feet tall, 990 feet after the approach end of the runway, 100 feet west of centerline penetrates the primary surface of Runway 18/36.

Trees 1,180 feet to 1,245 feet after the approach end of the runway, 105 feet to 125 feet west of centerline penetrates the primary surface of Runway 18/36.

Tree 1,515 feet after the approach end of the runway, 115 feet to 125 feet west of centerline penetrates the primary surface of Runway 18/36.

Tree 1,730 feet after the approach end of the runway, 125 feet west of centerline penetrates the primary surface of Runway 18/36.

Trees 0 feet before to 135 feet after the approach end of the runway, 95 feet to 125 feet east of centerline penetrates the primary surface of Runway 18/36.

Trees 185 feet to 325 feet after the approach end of runway, 110 feet to 125 feet east of centerline penetrates the primary surface of Runway 18/36.

Aircraft 640 feet after the approach end of the runway, 125 feet east of centerline penetrates the primary surface of Runway 18/36.

Trees 710 feet to 875 feet after the approach end of runway, 105 feet to 125 feet east of centerline penetrates the primary surface of Runway 18/36.

Tree 965 feet after the approach end of the runway, 105 feet east of centerline penetrates the primary surface of Runway 18/36.

Comments are currently published to the FAA Chart Supplement to advise flight crews of unlighted obstructions east and west of runway centerline.

Rwy End: 36

In accordance with Chapter 14-60.007(2)(b)1.a., FAC. – For a runway that is not paved, that is to be used by an aircraft of any weight, and that has a visual landing approach: the width of the primary surface is 250 feet.

4/22/2025

State of Florida Department of Transportation
Public Transportation Office

http://www.florida-aviation-database.com

Flying Ten Airport

Facility Name:

Airport Inspection Record Inspection Date:

Facility Type: Airport Status: Active Inspector: David Smith

Fence 0 feet before to 1,200 feet after the approach end of runway, 105 feet to 125 feet west of centerline penetrates the primary surface of Runway 18/36.

Tree 875 feet after the approach end of the runway, 105 feet west of centerline penetrates the primary surface of Runway 18/36.

Trees 1,000 feet to 1,115 feet after the approach end of runway, 105 feet to 120 feet west of centerline penetrates the primary surface of Runway 18/36.

Tree 1,550 feet after the approach end of the runway, 110 feet to 125 feet west of centerline penetrates the primary surface of Runway 18/36.

Trees 479 feet to 615 feet after the approach end of runway, 103 feet to 125 feet east of centerline penetrates the primary surface of Runway 18/36.

Trees 670 feet to 750 feet after the approach end of runway, 110 feet to 120 feet east of centerline penetrates the primary surface of Runway 18/36.

Aircraft 955 feet after the approach end of the runway, 105 feet east of centerline penetrates the primary surface of Runway 18/36.

Comments are currently published to the FAA Chart Supplement to advise flight crews of unlighted obstructions east and west of runway centerline.

Rwy End: 36

In accordance with Chapter 14-60.007(10)(b), FAC. – Runway end light groups shall contain three lights for visual runways.

Runway 36 runway end light groups contain four lights.

Mitigated Deficiencies

Rwy End: 18

In accordance with Chapter 14-60.007(2)(b)1.a., FAC. – For a runway that is not paved, that is to be used by an aircraft of any weight, and that has a visual landing approach: the width of the primary surface is 250 feet.

Sign 4 feet tall, 370 feet after the approach end of the runway, 100 feet west of centerline penetrates the primary surface of Runway 18/36.

Sign 4 feet tall, 990 feet after the approach end of the runway, 100 feet west of centerline penetrates the primary surface of Runway 18/36.

Received an e-mail from Ms. TJ Fraiser, Airport Manager, on May 5th, 2025 and she stated these signs would be re-located to outside of the primary surface by May 20th, 2025.

Rwy End: 18

In accordance with Chapter 14-60.007(10)(b), FAC. – Runway end light groups shall contain three lights for visual runways.

Runway 18 runway end light groups only contain one light per side.

Spoke with Ms. TJ Frasier, Airport Manager, during the inspection April 22, 2025 and she stated the airport has received FAA approval to extend the runway. The airport is in the process of installing edge markings and the Runway 18 threshold lights associated with the relocation of the runway end.

Rwy End: 36

In accordance with Chapter 14-60.007(2)(c)1.a., FAC. – For a runway that is not paved, that is to be used by an aircraft of any weight, and that has a visual landing approach: the approach surface ratio is 20:1.

Runway 36 approach surface ratio is 0:1 due to fence 4 feet tall, 4 feet before the approach end of the runway, on centerline.

Runway 36 threshold is displaced 360 feet.

Rwy End: 36

In accordance with Chapter 14-60.007(10)(c), FAC. – Displaced threshold lights remaining lights shall be located outward on 10 foot centers on a line perpendicular to the runway centerline.

Runway 36 displaced threshold lights are spaced out at 5 foot intervals.

Runway 36 displaced threshold lights/markings are spaced out as far as practical due to the limits of the property owned by the airport.

State of Florida Department of Transportation Public Transportation Office

Page 7 of 7

5/12/2025

http://www.florida-aviation-database.com

Airport Inspection Record

Facility Name Facility Type:	e: Flying Ten Airport Airport			Inspection Date: 4/22/2025 Inspector: David Smith
License				
00	8/01/2025 7/31/2026	Category:	Public Special	Limitations: Day Use Only VFR Use Only

Conditions:

The department may revoke, refuse to allow or issue, any license or license renewal, if it determines that the airport does not comply with the conditions of the license, license renewal, or site approval or that the airport has become unsafe or unusable for flight operation due to physical or legal changes that were the subject of approval pursuant to Section 330.30(2)(e), F.S.

- A. This Airport has the following landing areas and approach limitations.
- 1. Runway 18/36 is available for visual approaches only.
- a. Runway 18 is FAR 77 category A(V).
- b. Runway 36 is FAR 77 category A(V).
- 2. Runway 36 threshold is displaced 360 feet.
- B. This Airport is issued a Special License pursuant to Chapter 330.30(2)(b), F.S.

The department may license a public airport that does not meet standards only if it determines that such an exception is justified by unusual circumstances or is in the interest of public convenience and does not endanger the public health, safety, or welfare. Such a license shall bear the designation "special" and shall state the conditions subject to which the license is granted.

- 1. Trees and fence full length of the runway, 105 feet to 125 feet west of centerline penetrates the primary surface of Runway 18/36.
- 2. Runway 18 runway end lights are non-standard.
- 3. Aircraft parking located 640 feet after the approach end of Runway 18 and 100 feet to 125 feet east of centerline penetrates the primary surface of Runway 18/36.
- 4. Trees full length of runway, 95 feet to 125 feet east of centerline penetrates the primary surface of Runway 18/36. *Additional Licensing Remarks:*