

State of Florida Department of Transportation
Aviation Office

Page 1 of 7
7/16/2025

<http://www.florida-aviation-database.com>

Airport Inspection Record

Facility Name: Sebring Regional Airport		Inspection Date: 7/15/2025	
Facility Type: Airport		Inspector: David Smith	
Location ID: SEF	FAA Site No.: 03493.*A	FDOT District: 1	
6.00 Miles SE of Sebring		County: Highlands	
ARP Latitude: 27° 27' 23.05	Source: Estimated	Ownership: Public	
ARP Longitude: 81° 20' 32.64		Use: Public	
Elevation: 63	Source: Surveyed	Sectional Chart: MIAMI	

Note: Primary contact shows below with a background.

Facility Owner: Sebring Airport Authority		Facility Physical Address	
Address: 128 Authority Ln		Address: 128 Authority Ln	
City: Sebring	State: FL ZIP: 33870	City: Sebring	State: FL ZIP: 33870
Phone: (863) 655-6444	Fax: (863) 655-6447	Phone: (863) 314-1300	
Email: mike@sebring-airport.com			
Owner Representative: Pete McDevitt		Facility Manager: Mike Willingham	
Address: 128 Authority Ln		Address: 128 Authority Ln	
City: Sebring	State: FL ZIP: 33870	City: Sebring	State: FL ZIP: 33870
Phone: (863) 655-6444		Phone: (863) 314-1300	
Email: peter.mcdevitt@coldwellbanker.com		Email: mike@sebring-airport.com	

Acreeage: 2,149	Residential Airpark: No	Beacon: C-G
Section: 04	Township: 35S	Wind Indicator: Yes
	Range: 30E	Lighted: Yes
Lighting Schedule: Sunset to Sunrise		Notes:
Attendance Schedule: Month/Day/Hour		Segmented Circle: Yes
ALL / MON-FRI / 0730-1800		Lighted: Yes
ALL / SAT-SUN / 0700-1700		Facility Website: https://sebring-airport.com/
		<i>Ask in any new facility aeriels/photos are available</i>

Based Aircraft			
Year: 2011	Single Engine: 39	Jet Engine: 1	Glider: 9
Source: Inspector	Multi Engine: 2	Helicopter: 1	Military: 9
Total Based Aircraft:			

Annual Operations			
Year:	Air Carrier:	Air Taxi:	GA Local:
End Date:	Commuter:	Military:	GA Itinerant:
Total Annual Operations:			

FAR 139 Certificated

FAA NavCom			
FSS ID:	<input checked="" type="checkbox"/> PIE	Clearance Delivery:	<input checked="" type="checkbox"/> 122.200
FSS on Airport:	<input checked="" type="checkbox"/> No	Ground Control:	<input type="checkbox"/>
Toll Free:	<input checked="" type="checkbox"/> (800) WX-BRIEF	Control Tower:	<input type="checkbox"/>
VorTac:	<input checked="" type="checkbox"/> LBV 110.4 003d/37.7 nm	Approach Control:	<input checked="" type="checkbox"/> 134.550
AWOS/ASOS:	<input checked="" type="checkbox"/> 119.475	Unicom:	<input checked="" type="checkbox"/> 122.700
Instrument Approach:	<input checked="" type="checkbox"/> LPV, LP, LNAV/VNAV, LNAV, RNP	ATIS:	<input type="checkbox"/>
		CTAF:	<input checked="" type="checkbox"/> 122.700

Facility Name: Sebring Regional Airport

Inspection Date: 7/15/2025

Facility Type: Airport

Status: Active

Inspector: David Smith

Services

Fuel:

A ☒ Full Service and Self Service
 A1 ☐
 A1+ ☒ Full Service
 B ☐
 B+ ☐
 Diesel ☐
 E85 ☐
 G100UL ☐
 Mogas ☒ Swift UL94, Self Service
 SAF ☐
 UL102 ☐
 80 ☐
 85UL ☐
 87 ☐
 91/96 ☐
 91/96UL ☐
 100 ☐
 100LL ☒ Full Service and Self Service
 100VLL ☐
 115 ☐

Bottle Oxygen:

High ☐
 Low ☐

Bulk Oxygen:

High ☐
 Low ☐

Transient Storage:

Buoy ☐
 Hangar ☒
 Tie Downs ☒

Airframe:

Major ☒
 Minor ☒

Power Plant:

Major ☒
 Minor ☒

Other Services:

Aerial Surveying ☐
 Air Ambulance ☒ Aeromed
 Air Freight ☐
 Aircraft Rental ☒
 Aircraft Sales ☒
 Avionics ☐
 Beaching Gear ☐
 Car Rental ☒ Enterprise
 Cargo ☐
 Courtesy Car ☒ Available from Sebring
 Charter ☒
 Crop Dusting ☐
 Glider ☐
 Glider Towing ☐
 Instruction ☒
 Internet ☒
 Lodging ☒
 Parachute Jumping Area ☐
 Restaurant ☒ Runway Cafe
 Restrooms ☒ Terminal Building, T-Ha
 Taxi ☒ Sebring Ride Share Uber
 Telephone ☒

Aircraft Charging Stations:

Electric Charging Stations ☐
 Hydrogen Charging Stations ☐
 Battery Charging Stations ☐
 Solar Charging Stations ☐
 Auto Charging Stations ☐

Aircraft Electric Charging Power Rating:

Alternating Current ☐
 Direct Current ☐

Aircraft Electric Charging Station Plug Type

AC - J1772 ☐
 AC - Mennekes ☐
 DC - GB/T ☐
 DC - CCS Type1 ☐
 DC - CCS Type2 ☐
 DC - MCS ☐
 DC - CHAdeMO ☐
 Other ☐

Support Infrastructure:

Passenger Waiting Facility ☐
 Aircraft Tug Station ☐
 Deicing Equipment ☐
 Battery Thermal ☐
 Conditioning System ☐
 Maintenance Platforms, Ladders, Inspection ☐
 Provider of Services ☐
 Fire Suppression/Extinguishing System ☐

Aircraft Cabin Thermal Conditioning Equipment ☐

Passenger/Cargo Loading Equipment ☐

Aircraft Electric Charger Power Output:

Number of Aircraft Electric Charging Stations:

Facility Name: Sebring Regional Airport

Inspection Date: 7/15/2025

Facility Type: Airport

Status: Active

Inspector: David Smith

Runway ID	Status	Dimension	Surface	Condition	Lights
14/32	Existing	4,990 x 100	Asph	Fair	None

Comments:

RWY 14

FAR 77 Category A(NP).

RWY 32

FAR 77 Category A(NP).

Approach ratio required is RWY 14 20:1 and RWY 32 20:1.

Primary surface required is 500 feet wide.

Transitional surface required is 7:1.

Safety area required extends 240 feet beyond each runway end.

Runway 14

	Latitude	Longitude	Source	Slope	Marking	VGSI	REIL	Rt Traffic	Approach
14	27° 27' 44.09	81° 20' 49.85	Surveyed	8:1	BSC-F	N	No	No	NONE

Obstruction Data

	Close-in Obstruction	Displacement Distance	Slope	Controlling Obstruction	Marked/ Lighted	Height Above Runway	Distance From Runway	Direction From Runway End	Controllin g Offset
Primary Surface	No		8:1	RR		25 ft	400 ft	Before Runway End	0 ft Both
Runway End	No		9:1	FENCE		9 ft	77 ft	Before Runway End	225 ft R
Marked Displaced Threshold	No	289 ft	25:1	TREES		50 ft	955 ft	Before Runway End	250 ft R
Required Displaced Threshold									

Runway 32

	Latitude	Longitude	Source	Slope	Marking	VGSI	REIL	Rt Traffic	Approach
32	27° 27' 9.18	81° 20' 10.49	Surveyed	40:1	BSC-F	N	No	No	NONE

Obstruction Data

	Close-in Obstruction	Displacement Distance	Slope	Controlling Obstruction	Marked/ Lighted	Height Above Runway	Distance From Runway	Direction From Runway End	Controllin g Offset
Primary Surface	No		40:1	FENCE		6 ft	408 ft	Before Runway End	0 ft Both
Runway End									
Marked Displaced Threshold									
Required Displaced Threshold									

Primary Surface and Safety Area

Object	Latitude	Longitude	Survey/ Estimate	Distance from Centerline	Direction from Centerline	Height	Fixed by Function	Frangible	Marked	Aeronautical Study	Determination
FENCE	27° 27' 44.81	81° 20' 52.03	Estimated	85 ft	SW	6 ft	No	No	No	2016-ASO -3351-NR A	DNH
ROAD	27° 27' 45.60	81° 20' 53.12	Estimated	85 ft	SW	19 ft	No	No	No	2017-ASO -3345-NR A	DNH

Runway ID	Status	Dimension	Surface	Condition	Lights
01/19	Existing	5,234 x 100	Asph	Good	MIRL

Comments:

Facility Name: Sebring Regional Airport

Inspection Date: 7/15/2025

Facility Type: Airport

Status: Active

Inspector: David Smith

RWY 01

FAR 77 Category C.

RWY 19

FAR 77 Category C.

Approach ratio required is RWY 01 34:1 and RWY 19 34:1.

Primary surface required is 500 feet wide.

Transitional surface required is 7:1.

Safety area required extends 240 feet beyond each runway end.

Runway 01

	Latitude	Longitude	Source	Slope	Marking	VGSI	REIL	Rt Traffic	Approach
01	27° 27' 45.49	81° 20' 35.1	Surveyed	34:1	NPI-F	P4L	Yes	No	NONE

Obstruction Data

	Close-in Obstruction	Displacement Distance	Slope	Controlling Obstruction	Marked/ Lighted	Height Above Runway	Distance From Runway	Direction From Runway End	Controllin g Offset
Primary Surface	No		34:1	TREES		50 ft	1,880 ft	Before Runway End	315 ft L
Runway End									
Marked Displaced Threshold									
Required Displaced Threshold									

Runway 19

	Latitude	Longitude	Source	Slope	Marking	VGSI	REIL	Rt Traffic	Approach
19	27° 26' 53.76	81° 20' 34.9	Surveyed	35:1	NPI-F	P4L	Yes	No	NONE

Obstruction Data

	Close-in Obstruction	Displacement Distance	Slope	Controlling Obstruction	Marked/ Lighted	Height Above Runway	Distance From Runway	Direction From Runway End	Controllin g Offset
Primary Surface	No		35:1	TREES		22 ft	940 ft	Before Runway End	20 ft L
Runway End									
Marked Displaced Threshold									
Required Displaced Threshold									

Primary Surface and Safety Area

Object	Latitude	Longitude	Survey/ Estimate	Distance from Centerline	Direction from Centerline	Height	Fixed by Function	Frangible	Marked	Aeronatical Study	Determination
EQUIP	27° 26' 53.26	81° 20' 36.19	Estimated	118 ft	W	4 ft	No	Yes	No		
POLE	27° 27' 45.69	81° 20' 36.52	Estimated	129 ft	W	1 ft	No	No	Yes		
POLE	27° 27' 45.79	81° 20' 32.59	Surveyed	225 ft	E	1 ft	No	No	No		
POLE	27° 27' 45.70	81° 20' 37.38	Estimated	205 ft	W	1 ft	No	No	Yes		
EQUIP	27° 27' 45.97	81° 20' 36.31	Estimated	110 ft	W	4 ft	No	Yes	No		
EQUIP	27° 27' 37.91	81° 20' 32.99	Estimated	185 ft	E	1 ft	No	Yes	Yes		

Facility Name: Sebring Regional Airport

Inspection Date: 7/15/2025

Facility Type: Airport

Status: Active

Inspector: David Smith

Instrument Approach

01/19	Type	A	B	C	D	E
01	LPV	1.00 Miles	1.00 Miles	1.00 Miles	1.00 Miles	
01	LNAV/VNAV	1.13 Miles	1.13 Miles	1.13 Miles	1.13 Miles	
01	LNAV	1.00 Miles	1.00 Miles	1.38 Miles	1.38 Miles	
19	RNP	1.25 Miles	1.25 Miles	1.25 Miles	1.25 Miles	
14/32	Type	A	B	C	D	E
14	LP	1.00 Miles	1.00 Miles	1.00 Miles	1.00 Miles	
14	LNAV	1.00 Miles	1.00 Miles	1.38 Miles	1.38 Miles	
32	LP	1.00 Miles	1.00 Miles	1.00 Miles	1.00 Miles	
32	LNAV	1.00 Miles	1.00 Miles	1.13 Miles	1.13 Miles	

Declared Distances

Runway	01/19	TORA	TODA	ASDA	LDA
01					
19					
Runway	14/32	TORA	TODA	ASDA	LDA
14		4,990	4,990	4,990	4,701
32		4,990	4,990	4,990	4,990

Facility Name: Sebring Regional Airport

Inspection Date: 7/15/2025

Facility Type: Airport

Status: Active

Inspector: David Smith

Deficiencies

Inspection Date 7/15/25

Next Inspection 7/31/26

Deficiencies

01/19 : In accordance with Chapter 14-60.007(9)(f), FAC. – Hold position markings for paved taxiways shall be yellow.
Taxiway
(A6)

Taxiway A6 hold position marking at Runway 19 is faded and/or chipping.

Mitigated Deficiencies

Rwy End: 14 In accordance with Chapter 14-60.007(2)(d)1.c., FAC. – For a runway that is paved, that is to be used by an aircraft that weighs less than or equal to 12,500 pounds, and that has a non-precision instrument approach: the transition surface ratio is 7:1.

Fence from 200 feet to 74 feet before the approach end of the runway, 250 feet right of centerline, penetrates the transitional surface of Runway 14.

Road from 200 feet to 74 feet before the approach end of the runway, 250 feet right of centerline, penetrates the transitional surface of Runway 14.

Both the fence and the road have been studied by the FAA (ASN: 2016-ASO-3351-NRA and 2017-ASO-3345-NRA through 2017-ASO-3348-NRA) and determined both to not be a hazard. The FAA does not require lighting since night IFR procedures are not authorized.

Rwy End: 14 In accordance with Chapter 14-60.007(2)(c)1.c., FAC. – For a runway that is paved, that is to be used by an aircraft that weighs less than or equal to 12,500 pounds, and that has a non-precision instrument approach: the approach surface ratio is 20:1.

Runway 14 approach surface ratio is 8:1 due to railroad 25 feet tall, 400 feet before the approach end of the runway, on centerline.

Runway 14 threshold is displaced 289 feet.

Rwy End: 14 In accordance with Chapter 14-60.007(2)(b)1.c., FAC. – For a runway that is paved, that is to be used by an aircraft that weighs less than or equal to 12,500 pounds, and that has a non-precision instrument approach: the width of the primary surface is 500 feet.

Fence from 200 feet to 74 feet before the approach end of the runway, 85 feet to 250 feet right of centerline, penetrates the primary surface of Runway 14.

Road from 200 feet to 74 feet before the approach end of the runway, 110 feet to 250 feet right of centerline, penetrates the primary surface of Runway 14.

Both the fence and the road have been studied by the FAA (ASN: 2016-ASO-3351-NRA and 2017-ASO-3345-NRA through 2017-ASO-3348-NRA) and determined both to not be a hazard. The FAA does not require lighting since night IFR procedures are not authorized.

Runway 14 threshold is displaced 289 feet.

Facility Name: Sebring Regional Airport

Inspection Date: 7/15/2025

Facility Type: Airport

Status: Active

Inspector: David Smith

License

Effective: 11/01/2025

Category: Public

Limitations: ☐ Day Use Only

Expires: 10/31/2026

☐ VFR Use Only

Conditions:

The department may revoke, refuse to allow or issue, any license or license renewal, if it determines that the airport does not comply with the conditions of the license, license renewal, or site approval or that the airport has become unsafe or unusable for flight operation due to physical or legal changes that were the subject of approval pursuant to Section 330.30(2)(e), F.S.

A. This Airport has the following landing areas and approach limitations.

1. Runway 14/32 is available for non-precision instrument and visual approaches.

a. Runway 14 is FAR 77 category A(NP).

b. Runway 32 is FAR 77 category A(NP).

2. Runway 01/19 is available for non-precision instrument and visual approaches.

a. Runway 01 is FAR 77 category C.

b. Runway 19 is FAR 77 category C.

3. Runway 14 threshold is displaced 289 feet.

4. Runway 14 TORA-4990 TODA-4990 ASDA-4990 LDA-4701

5. Runway 32 TORA-4990 TODA-4990 ASDA-4990 LDA-4990

Additional Licensing Remarks: