

<http://www.florida-aviation-database.com>

**Airport Inspection Record**

<b>Facility Name:</b> Jacksonville International Airport	<b>Inspection Date:</b> 5/9/2025
<b>Facility Type:</b> Airport	<b>Status:</b> Active
<b>Inspector:</b> FAA Southern Region - Padilla	
<b>Location ID:</b> JAX	<b>FAA Site No.:</b> 03250.1*A
<b>9.00 Miles N of Jacksonville</b>	<b>FDOT District:</b> 2
<b>ARP Latitude:</b> 30° 29' 38.6	<b>Source:</b> Surveyed
<b>County:</b> Duval	
<b>ARP Longitude:</b> 81° 41' 16.3	<b>Ownership:</b> Public
<b>Elevation:</b> 29.2	<b>Source:</b> Surveyed
	<b>Use:</b> Public
	<b>Sectional Chart:</b> JACKSONVILLE

Note: Primary contact shows below with a background.

<b>Facility Owner:</b> Jacksonville Aviation Authority	<b>Facility Physical Address</b>
<b>Address:</b> 14201 Pecan Park Rd	<b>Address:</b> 2400 Yankee Clipper Dr
<b>City:</b> Jacksonville	<b>City:</b> Jacksonville
<b>State:</b> FL	<b>State:</b> FL
<b>ZIP:</b> 32218	<b>ZIP:</b> 32218
<b>Phone:</b> (904) 741-2013	<b>Phone:</b> (904) 741-2000
<b>Fax:</b> (904) 741-2011	
<b>Email:</b> mark.vanloh@flyjacksonville.com	

<b>Owner Representative:</b> Mark VanLoh	<b>Facility Manager:</b> Terry Dlugos
<b>Address:</b> 14201 Pecan Park Rd	<b>Address:</b> 14201 Pecan Park Rd
<b>City:</b> Jacksonville	<b>City:</b> Jacksonville
<b>State:</b> FL	<b>State:</b> FL
<b>ZIP:</b> 32218	<b>ZIP:</b> 32355
<b>Phone:</b> (904) 741-2069	<b>Phone:</b> (904) 741-3866
<b>Email:</b> mark.vanloh@flyjacksonville.com	<b>Email:</b> terry.dlugos@flyjax.com

<b>Acreage:</b> 7,911	<b>Residential Airpark:</b> No	<b>Beacon:</b> C-G
<b>Section:</b> 21	<b>Township:</b> 01S	<b>Range:</b> 26E
<b>Lighting Schedule:</b> Sunset to Sunrise		<b>Wind Indicator:</b> Yes
<b>Attendance Schedule:</b> Month/Day/Hour		<b>Lighted:</b> Yes
<b>ALL / ALL / ALL</b>		<b>Notes:</b>
		<b>Segmented Circle:</b> Yes
		<b>Lighted:</b> Yes
		<b>Facility Website:</b> <a href="https://www.flyjax.com/Home.aspx">https://www.flyjax.com/Home.aspx</a>
		<b>Ask in any new facility aeriels/photos are available</b>

<b>Based Aircraft</b>				
<b>Year:</b>	<b>Single Engine:</b>	<b>Jet Engine:</b>	<b>Glider:</b>	<b>Ultralight:</b>
<b>Source:</b>	<b>Multi Engine:</b>	<b>Helicopter:</b>	<b>Military:</b>	<b>Seaplane:</b>
<b>Total Based Aircraft:</b>				

<b>Annual Operations</b>				
<b>Year:</b>	<b>Air Carrier:</b>	<b>Air Taxi:</b>	<b>GA Local:</b>	
<b>End Date:</b>	<b>Commuter:</b>	<b>Military:</b>	<b>GA Itinerant:</b>	
<b>Total Annual Operations:</b>				

FAR 139 Certificated      Class

<b>FAA NavCom</b>				
<b>FSS ID:</b>	<input checked="" type="checkbox"/> GNV	<b>Clearance Delivery:</b>	<input checked="" type="checkbox"/> 119.500	
<b>FSS on Airport:</b>	<input checked="" type="checkbox"/> No	<b>Ground Control:</b>	<input checked="" type="checkbox"/> 121.900	
<b>Toll Free:</b>	<input checked="" type="checkbox"/> (800) WX-BRIEF	<b>Control Tower:</b>	<input checked="" type="checkbox"/> 118.300	
<b>VorTac:</b>	<input checked="" type="checkbox"/> CRG 114.5 318d/13.1 nm	<b>Approach Control:</b>	<input checked="" type="checkbox"/> 127.000	121.300
<b>AWOS/ASOS:</b>	<input checked="" type="checkbox"/> 125.850	<b>Unicom:</b>	<input checked="" type="checkbox"/> 122.950	
<b>Instrument Approach:</b>	<input checked="" type="checkbox"/> ILS, LOC, LOC/DME, LPV, LNAV/VNAV, LNAV, VOR/DME, RNP, TACAN	<b>ATIS:</b>	<input checked="" type="checkbox"/> 125.850	
		<b>CTAF:</b>	<input type="checkbox"/>	

Facility Name: Jacksonville International Airport

Inspection Date: 5/9/2025

Facility Type: Airport

Status: Active

Inspector: FAA Southern Region - Padilla

**Services**

*Fuel:*

- A
- A1
- A1+
- B
- B+
- Diesel
- E85
- G100UL
- Mogas
- SAF
- UL102
- 80
- 85UL
- 87
- 91/96
- 91/96UL
- 100
- 100LL
- 100VLL
- 115

*Bottle Oxygen:*

- High
- Low

*Bulk Oxygen:*

- High
- Low

*Transient Storage:*

- Buoy
- Hangar
- Tie Downs

*Airframe:*

- Major
- Minor

*Power Plant:*

- Major
- Minor

*Other Services:*

- Aerial Surveying
- Air Ambulance
- Air Freight
- Aircraft Rental
- Aircraft Sales
- Avionics
- Beaching Gear
- Car Rental
- Cargo
- Courtesy Car
- Charter
- Crop Dusting
- Glider
- Glider Towing
- Instruction
- Internet
- Lodging
- Parachute Jumping Area
- Restaurant
- Restrooms
- Taxi
- Telephone

*Aircraft Charging Stations:*

- Electric Charging Stations
- Hydrogen Charging Stations
- Battery Charging Stations
- Solar Charging Stations
- Auto Charging Stations

*Aircraft Electric Charging Power Rating:*

- Alternating Current
- Direct Current

*Aircraft Electric Charging Station Plug Type*

- AC - J1772
- AC - Mennekes
- DC - GB/T
- DC - CCS Type1
- DC - CCS Type2
- DC - MCS
- DC - CHAdeMO
- Other

*Support Infrastructure:*

- Passenger Waiting Facility
- Aircraft Tug Station
- Deicing Equipment
- Battery Thermal Conditioning System
- Maintenance Platforms, Ladders, Inspection
- Provider of Services
- Fire Suppression/Extinguishing System
- Aircraft Cabin Thermal Conditioning Equipment
- Passenger/Cargo Loading Equipment

*Aircraft Electric Charger Power Output:*

*Number of Aircraft Electric Charging Stations:*

http://www.florida-aviation-database.com

**Airport** Inspection Record

<b>Facility Name:</b> Jacksonville International Airport	<b>Inspection Date:</b> 5/9/2025
<b>Facility Type:</b> Airport	<b>Status:</b> Active
<b>Inspector:</b> FAA Southern Region - Padilla	

Runway ID	Status	Dimension	Surface	Condition	Lights
08/26	Existing	10,000 x 150	Conc	Good	HIRL

Comments:

**RWY 08**  
FAR 77 Category PIR.

**RWY 26**  
FAR 77 Category PIR.

Approach ratio required is RWY 08 50:1 and RWY 26 50:1.  
Primary surface required is 1,000 feet wide.  
Transitional surface required is 7:1.  
Safety area required extends 240 feet beyond each runway end.

**Runway 08**

	Latitude	Longitude	Source	Slope	Marking	VGSI	REIL	Rt Traffic	Approach
08	30° 29' 46.38	81° 41' 59.8736	Surveyed	50:1	PIR-F	P4L	No	No	ALSF2

**Obstruction Data**

	Close-in Obstruction	Displacement Distance	Slope	Controlling Obstruction	Marked/Lighted	Height Above Runway	Distance From Runway	Direction From Runway End	Controlling Offset
Primary Surface	No		50:1	TREES		63 ft	3,350 ft	Before Runway End	350 ft R
Runway End									
Marked Displaced Threshold									
Required Displaced Threshold									

**Runway 26**

	Latitude	Longitude	Source	Slope	Marking	VGSI	REIL	Rt Traffic	Approach
26	30° 30' 19.3402	81° 40' 12.0972	Surveyed	50:1	PIR-F	P4R	No	No	MALSR

**Obstruction Data**

	Close-in Obstruction	Displacement Distance	Slope	Controlling Obstruction	Marked/Lighted	Height Above Runway	Distance From Runway	Direction From Runway End	Controlling Offset
Primary Surface	No		50:1	NONE					
Runway End									
Marked Displaced Threshold									
Required Displaced Threshold									

**Primary Surface and Safety Area**

Object	Latitude	Longitude	Survey/Estimate	Distance from Centerline	Direction from Centerline	Height	Fixed by Function	Frangible	Marked	Aeronautical Study	Determination
EQUIP	30° 29' 53.25	81° 41' 46.35	Estimated	262 ft	N	1 ft	No	Yes	Yes		
EQUIP	30° 30' 17.37	81° 40' 27.50	Estimated	261 ft	N	1 ft	No	Yes	Yes		

Runway ID	Status	Dimension	Surface	Condition	Lights
14/32	Existing	7,701 x 150	Conc	Good	HIRL

Comments:

http://www.florida-aviation-database.com

**Airport** Inspection Record

<b>Facility Name:</b> Jacksonville International Airport	<b>Inspection Date:</b> 5/9/2025
<b>Facility Type:</b> Airport	<b>Status:</b> Active
<b>Inspector:</b> FAA Southern Region - Padilla	

**RWY 14**  
**FAR 77 Category PIR.**

**RWY 32**  
**FAR 77 Category D.**

**Approach ratio required is RWY 14 50:1 and RWY 32 34:1.**  
**Primary surface required is 1,000 feet wide.**  
**Transitional surface required is 7:1.**  
**Safety area required extends 240 feet beyond each runway end.**

Runway 14									
	Latitude	Longitude	Source	Slope	Marking	VGSI	REIL	Rt Traffic	Approach
14	30° 29' 31.78	81° 42' 3.01	Surveyed	50:1	PIR-G	P4L	No	No	MALSR

Obstruction Data									
	Close-in Obstruction	Displacement Distance	Slope	Controlling Obstruction	Marked/Lighted	Height Above Runway	Distance From Runway	Direction From Runway End	Controlling Offset
Primary Surface	No		50:1	TREES		50 ft	2,735 ft	Before Runway End	235 ft R
Runway End									
Marked Displaced Threshold									
Required Displaced Threshold									

Runway 32									
	Latitude	Longitude	Source	Slope	Marking	VGSI	REIL	Rt Traffic	Approach
32	30° 28' 42.2408	81° 40' 56.1324	Surveyed	45:1	PIR-G	P4L	Yes	No	NONE

Obstruction Data									
	Close-in Obstruction	Displacement Distance	Slope	Controlling Obstruction	Marked/Lighted	Height Above Runway	Distance From Runway	Direction From Runway End	Controlling Offset
Primary Surface	No		45:1	TREES		68 ft	3,290 ft	Before Runway End	0 ft Both
Runway End									
Marked Displaced Threshold									
Required Displaced Threshold									

Primary Surface and Safety Area											
Object	Latitude	Longitude	Survey/Estimate	Distance from Centerline	Direction from Centerline	Height	Fixed by Function	Frangible	Marked	Aeronautical Study	Determination
EQUIP	30° 29' 25.16	81° 41' 49.44	Estimated	264 ft	E	1 ft	No	Yes	Yes		
EQUIP	30° 28' 48.57	81° 41' 09.34	Estimated	263 ft	W	1 ft	No	Yes	Yes		

<http://www.florida-aviation-database.com>

**Airport** Inspection Record

<b>Facility Name:</b> Jacksonville International Airport	<b>Inspection Date:</b> 5/9/2025
<b>Facility Type:</b> Airport	<b>Status:</b> Active
<b>Inspector:</b> FAA Southern Region - Padilla	

**Instrument Approach**

08/26	Type	A	B	C	D	E
08	ILS	18.00 RVR	18.00 RVR	18.00 RVR	18.00 RVR	18.00 RVR
08	ILS Cat II	12.00 RVR	12.00 RVR	12.00 RVR	12.00 RVR	
08	ILS Cat IIIa	6.00 RVR	6.00 RVR	6.00 RVR	6.00 RVR	
08	LNAV	24.00 RVR	24.00 RVR	45.00 RVR	45.00 RVR	
08	LNAV/VNAV	32.00 RVR	32.00 RVR	32.00 RVR	32.00 RVR	
08	LOC	24.00 RVR	24.00 RVR	45.00 RVR	45.00 RVR	45.00 RVR
08	LPV	18.00 RVR	18.00 RVR	18.00 RVR	18.00 RVR	
08	ILS Cat I	14.00 RVR	14.00 RVR	14.00 RVR	14.00 RVR	
08	RNP	40.00 RVR	40.00 RVR	40.00 RVR	40.00 RVR	
08	LOC/DME			45.00 RVR	45.00 RVR	45.00 RVR
26	RNP	35.00 RVR	35.00 RVR	35.00 RVR	35.00 RVR	
26	LOC/DME			35.00 RVR	35.00 RVR	35.00 RVR
26	LPV	18.00 RVR	18.00 RVR	18.00 RVR	18.00 RVR	
26	ILS	18.00 RVR	18.00 RVR	18.00 RVR	18.00 RVR	18.00 RVR
26	LNAV	24.00 RVR	24.00 RVR	35.00 RVR	35.00 RVR	
26	LNAV/VNAV	24.00 RVR	24.00 RVR	24.00 RVR	24.00 RVR	
26	LOC	24.00 RVR	24.00 RVR	35.00 RVR	35.00 RVR	
14/32	Type	A	B	C	D	E
14	ILS	0.75 Miles	0.75 Miles	0.75 Miles	0.75 Miles	0.75 Miles
14	LNAV	0.75 Miles	0.75 Miles	0.88 Miles	0.88 Miles	
14	LNAV/VNAV	0.75 Miles	0.75 Miles	0.75 Miles	0.75 Miles	
14	LOC	0.75 Miles	0.75 Miles	0.88 Miles	0.88 Miles	
14	LPV	0.75 Miles	0.75 Miles	0.75 Miles	0.75 Miles	
14	LOC/DME	0.75 Miles	0.75 Miles	0.75 Miles	0.75 Miles	0.75 Miles
14	TACAN			0.75 Miles	0.75 Miles	0.75 Miles
14	RNP	1.00 Miles	1.00 Miles	1.00 Miles	1.00 Miles	
32	RNP	1.13 Miles	1.13 Miles	1.13 Miles	1.13 Miles	
32	LNAV	1.00 Miles	1.00 Miles	1.00 Miles	1.00 Miles	
32	LNAV/VNAV	1.00 Miles	1.00 Miles	1.00 Miles	1.00 Miles	
32	LPV	0.75 Miles	0.75 Miles	0.75 Miles	0.75 Miles	
32	VOR/DME	1.00 Miles	1.00 Miles	1.25 Miles	1.25 Miles	1.25 Miles

<http://www.florida-aviation-database.com>

**Airport** Inspection Record

**Facility Name:** Jacksonville International Airport

**Inspection Date:** 5/9/2025

**Facility Type:** Airport

**Status:** Active

**Inspector:** FAA Southern Region - Padilla

**Deficiencies**

Inspection Date 5/9/25

Next Inspection 5/31/26

**Deficiencies**

**Non-Deficiency Remarks**

In accordance with Chapter 14-60.007, FAC.

Airports fulfilling the requirements of Title 14, C.F.R., Aeronautics and Space, Chapter 1, Federal Aviation Regulations, Federal Aviation Administration, Department of Transportation, Part 139, Certification of Airports: Land Airports Serving Certain Air Carriers, dated January 1, 2004, incorporated herein by reference, airport certification program shall be considered to meet the minimum standards for licensed airports.

**Corrections**

Corrected? No

Date Corrected:

**License**

**Effective:** 09/01/2025

**Category:** Public

**Limitations:**  Day Use Only

**Expires:** 08/31/2026

VFR Use Only

**Conditions:**

The department may revoke, refuse to allow or issue, any license or license renewal, if it determines that the airport does not comply with the conditions of the license, license renewal, or site approval or that the airport has become unsafe or unusable for flight operation due to physical or legal changes that were the subject of approval pursuant to Section 330.30(2)(e), F.S.

**A. This Airport has the following landing areas and approach limitations.**

**1. Runway 08/26 is available for precision instrument, non-precision instrument, and visual approaches.**

**a. Runway 08 is FAR 77 category PIR.**

**b. Runway 26 is FAR 77 category PIR.**

**2. Runway 14/32 is available for precision instrument, non-precision instrument, and visual approaches.**

**a. Runway 14 is FAR 77 category PIR.**

**b. Runway 32 is FAR 77 category D.**

*Additional Licensing Remarks:*